

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Chen et al.	Art Unit: 1754
Serial No: 09/804,328	Examiner: Edward M. Johnson
Filing Date: March 12, 2001	
Title: <i>Selective Catalytic Reduction of N<sub>2</sub>O</i>	Atty. Docket No.: 4488

**Reply to Notification of Non-Compliant Appeal Brief**

Commissioner of Patents  
and Trademarks  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sirs,

The Examiner has indicated that the Appeal Brief filed July 11, 2007, is not compliant since the second paragraph of the summary describing a comparison without ammonia does not describe a claimed feature in the independent claim. Applicant strongly disagrees with the Examiner. The comparison set forth in the summary of the claimed subject matter goes to the heart of the claimed subject matter since the comparison illustrates the simultaneous conversion of NO<sub>x</sub> and N<sub>2</sub>O, specifically set forth in the independent claims. It is not seen how the incorporation of a brief discussion of comparison in the specification directed to the claimed subject matter is improper.

However, to avoid further delays in considering this appeal, the objectionable paragraph has been removed and inserted into the discussion of the argument.

The Examiner is requested to forward the Appellant the Examiner's Answer to avoid further delays of this appeal. A one month extension to time is enclosed with this response.

12/13/2007  
Date

Respectfully submitted,



Stuart D. Frenkel  
Reg. No. 29,500  
Frenkel & Associates, P.C.  
3975 University Drive, Suite 330  
Fairfax, VA 22030  
Telephone: (703) 246-9641  
Facsimile: (703) 246-9646



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Chen et al.	Group Art Unit: 1754
Serial No.: 09/804,328	Examiner: Edward M. Johnson
Filed: March 12, 2001	
Title: <i>Selective Catalytic Reduction of N<sub>2</sub>O</i>	Atty. Docket No. 4488

5 Commissioner of Patents  
and Trademarks  
PO Box 1450  
Alexandria, VA 22313-1450

10 APPEAL BRIEF

Real Party Of Interest

The real party of interest in this case is BASF Catalysts LLC.

15

Related Appeals And Interferences

There are no appeals or interferences known to be related to or have a bearing on the Board's decision in the pending appeal.

20

Status Of Claims

Claims 3, 5-7, 10-14 and 18 are pending and have been Finally Rejected. These Finally Rejected claims form the basis of this appeal. Claims 1, 2, 4, 8, 9, 15-17, and 19-25 24 have been canceled.

### Status Of Amendments

5 No amendment or response under 37 C.F.R. 1.116 has been filed subsequent to the Final Rejection dated April 19, 2007.

### Summary Of Claimed Subject Matter

10 The presently claimed invention as set forth in sole independent claim 18 is directed to the selective catalytic reduction of NO<sub>x</sub> to achieve simultaneous removal of NO<sub>x</sub> and N<sub>2</sub>O from a single process stream, page 6, lines 26-29. The inventive simultaneous removal of NO<sub>x</sub> and N<sub>2</sub>O in a single process stream is achieved by introducing ammonia into the process stream upstream of a catalyst bed, page 7, lines 1-2. In accordance with this invention, the gas stream containing both NO<sub>x</sub> and N<sub>2</sub>O is  
15 passed in contact with a beta zeolite, page 7, lines 4-9. The gas stream has a temperature over 250°C, page 6, lines 1-2.

### Ground Of Rejection To Be Reviewed On Appeal

20

1. Claims 3, 10-14 and 18 have been Finally Rejected under 35 USC 103 (a) as being unpatentable over Riley et al. (US 5,200,162) in view of Fetzer (US 6,056,928). The Examiner states that Riley discloses a process for nitrous oxide decomposition comprising contacting a nitrous oxide and NO<sub>x</sub> stream with ammonia and zeolite. The  
25 Examiner recognizes that Riley fails to disclose beta zeolite for the simultaneous reduction of the nitrogen compounds. The Examiner applies Fetzer as disclosing a beta zeolite and concludes it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the beta zeolite of Fetzer selective for simultaneous reduction in the process of Riley. The Examiner also states that Riley discloses a  
30 temperature of reaction of 150-550 °C and discloses iron-exchanged zeolites.

2. Claims 3, 5-7, 10-14 and 18 have been Finally Rejected under 35 USC 103 (a) as being unpatentable over Kato et al. (US 4,571,329) in view of Fetzer as mentioned above. The Examiner applies Kato as disclosing a process for ammonia reduction of nitrous oxide comprising contacting a nitrous oxide containing gas with ammonia and zeolite and discloses removal of NO<sub>x</sub> and N<sub>2</sub>O. The Examiner admits that Kato fails to disclose beta zeolite selective for the simultaneous reduction of the nitrogen compounds. Fetzer is applied as previously as disclosing a beta zeolite. The Examiner concludes it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the beta zeolite of Fetzer in the nitrous oxide decomposition process of Kato. The Examiner states that Kato discloses a temperature of reaction of 300-500 °C and an iron-exchanged zeolite.

3. Claims 3, 10-11, and 18 have been Finally Rejected under 35 USC 103 (a) as being unpatentable over Tsuchitani et al. (US 5,756,057) in view of Fetzer as mentioned above. The Examiner states that Tsuchitani discloses a method for removal of NO<sub>x</sub> comprising contacting a stream containing N<sub>2</sub>O with a reducing agent such as ammonia and a catalyst comprising a zeolite. The Examiner admits that Tsuchitani fails to disclose beta zeolite. Fetzer is applied as previously as disclosing a beta zeolite. The Examiner concludes it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the beta zeolite of Fetzer in the nitrous oxide decomposition process of Tsuchitani et al.

#### Argument

1. *Claims 3, 10-14 and 18 have been Finally Rejected under 35 USC 103 (a) as being unpatentable over Riley et al. (US 5,200,162) in view of Fetzer (US 6,056,928).* With respect to the rejection based on the combination of Riley in view of Fetzer, it is Appellants position that the applied references in combination do not suggest or render obvious the claimed process and in particular, do not suggest that a beta zeolite could be

effective for the simultaneous reduction of N<sub>2</sub>O and NO<sub>x</sub> in a gas stream further containing ammonia.

5 First, Riley is concerned with the decomposition of N<sub>2</sub>O in a gas stream and not the simultaneous decomposition of N<sub>2</sub>O and NO<sub>x</sub>. In fact, the Abstract of Riley states that when the N<sub>2</sub>O containing gas stream also contains NO<sub>x</sub>, it is “often highly desirable to pretreat the stream to remove NO<sub>x</sub> prior to the N<sub>2</sub>O-decomposition zone.” Further, column 3, lines 45-50 of Riley states that when the gas stream contains other oxides of nitrogens such as NO<sub>x</sub>, the process “may need to be modified to remove NO<sub>x</sub> prior to the  
10 N<sub>2</sub>O decomposition zone.”

In Riley, the N<sub>2</sub>O-containing feedstock is passed into a decomposition zone containing a solid catalyst. The solid catalyst can be a variety of materials including zeolites, column 4, lines 34-39. The types of zeolites are disclosed at column 5, lines 5-  
15 24. Zeolite beta is not disclosed. In column 8, lines 25-59, Riley discloses the need to remove NO<sub>x</sub> prior to his process of decomposing N<sub>2</sub>O. Riley states in the mentioned passage that “the effectiveness of many catalyst for N<sub>2</sub>O decomposition is significantly impaired by NO<sub>x</sub>.” In the same mentioned passage, Riley states “the presence of NO<sub>x</sub> in the N<sub>2</sub>O-containing feed gas is detrimental. In theses cases it is highly desirable to  
20 remove NO<sub>x</sub> in a zone prior to the N<sub>2</sub>O decomposition zone.” Riley then discloses methods which can remove the NO<sub>x</sub> prior to the decomposition of the N<sub>2</sub>O stream including the selective reduction of NO<sub>x</sub> with ammonia in the presence of oxygen and catalyzed by precious metals. Clearly, Riley does not teach nor suggest the use of any catalyst which is selective for the “simultaneous reduction of N<sub>2</sub>O and NO<sub>x</sub>” as claimed  
25 let alone the use of beta zeolite.

The secondary reference to Fetzer is directed to a multistage process for removing nitrogen oxides from a gas stream. Fetzer neither discloses simultaneous removal of N<sub>2</sub>O and NO<sub>x</sub> from a gas stream nor suggest that zeolite beta can be used to catalyze the  
30 ammonia-mediated reduction of these nitrogen oxides. Fetzer discloses a three-stage

process. In Stage A adsorption of nitrogen oxides other than  $N_2O$  is achieved such as by the use of water, column 2, lines 43-48. In Stage B, the amount of  $N_2O$  is reduced by the use of a heterogeneous catalyst. Among examples of catalysts used is zeolite beta, column 4, line 15. The zeolite catalyst may be exchanged with various metals, column 4, lines 20-21. In a preferred embodiment, a Stage C is used in which the gas stream from Stages A and B can be passed through Stage C for reducing nitrogen oxides other than  $N_2O$ . In Stage C the gas stream can be reacted by means of selective catalytic reduction (SCR) in which the nitrogen oxides are reacted with ammonia. The catalysts for the SCR reaction are set forth at column 4, lines 47-57. Zeolite beta is not disclosed for Stage C.

Accordingly, the secondary reference does not teach the simultaneous reduction of  $N_2O$  and  $NO_x$ . The secondary reference does not suggest use of zeolite beta in a reaction with ammonia. At best, Fetzer discloses in Stage B the use of beta zeolite for reducing the amount of  $N_2O$  in the absence of ammonia. Thus, it is Appellant's position that even the substitution of beta zeolite in the process of Riley does not meet the claimed process which is directed to the simultaneous reduction of  $N_2O$  and  $NO_x$ . Riley separately converts  $NO_x$  and  $N_2O$ . The patent recites that it is highly desirable to remove  $NO_x$  prior to the  $N_2O$  decomposition zone. Fetzer does not make up for this deficiency of Riley. Moreover, Fetzer does not suggest that beta zeolite can be used to reduce either  $N_2O$  or  $NO_x$  in the presence of ammonia. In fact, Fetzer uses beta zeolite without ammonia. Accordingly, the combination of Riley with Fetzer does not suggest the effective simultaneous reduction of  $N_2O$  and  $NO_x$  with ammonia using zeolite beta.

**2. Claims 3, 5-7, 10-14 and 18 have been Finally Rejected under 35 USC 103**

**(a) as being unpatentable over Kato et al. (US 4,571,329) in view of Fetzer as mentioned above.** It is further Appellant's position that the rejection based on the combination of Kato et al. in view of Fetzer is not proper. Kato discloses in column 5, lines 18-56, the ammonia reduction of  $NO_2$  employing a reactor having filled a large amount of catalyst which is active to both the reaction of  $NO_2$  with ammonia and the ammonia reduction reaction of  $N_2O$ . The reaction takes place in the presence of a zeolite

catalyst such as an H or Fe substituted zeolite catalyst such as mordenite, zeolite Y, and the other zeolites disclosed in column 4, lines 43-49. Zeolite beta is not disclosed.

5 It is believed that the Examiner's reliance upon Fetzer as discussed above to disclose the use of beta zeolite for the reaction in Kato is improper. As stated above, Fetzer is not concerned with the ammonia reduction of  $N_2O$  in the presence of beta zeolite. It is the Appellants who have discovered that zeolite beta can be effectively used for the simultaneous reduction of  $NO_x$  and  $N_2O$  with ammonia. Neither Kato et al. which does not disclose zeolite beta nor Fetzer which discloses zeolite beta but not in a reaction  
10 which involves ammonia suggest or render obvious what Appellants have found.

The Board is kindly invited to Figure 8 of the present application and the discussion thereof on page 11, line 25 through page 12, line 4. The results as disclosed therein are not suggested by the combination of references.

15

Page 11, line 25 through page 12, line 4 discusses that the zeolite beta catalyst was unable to provide  $NO_x$  conversion in a gas containing both  $NO_x$  and  $N_2O$  without the addition of ammonia (Figure 7), but by introducing ammonia into the gas stream containing both  $NO_x$  and  $N_2O$ , conversions of both these nitrogen compounds over  
20 zeolite beta were increased substantially, Figure 8.


**3. Claims 3, 10-11, and 18 have been Finally Rejected under 35 USC 103 (a) as being unpatentable over Tsuchitani et al. (US 5,756,057) in view of Fetzer as mentioned above.** It is believed that the rejection based on the combination of Tsuchitani  
25 et al. in view of Fetzer is improper. Appellants point out that Tsuchitani et al. is not concerned with the simultaneous reduction of  $NO_x$  and  $N_2O$ . Tsuchitani discloses a first step of oxidizing nitrogen oxides such as  $NO$ ,  $N_2O$ , etc. which are present at high proportions in the  $NO_x$  components of an exhaust gas into  $NO_2$ . The  $NO_2$  thus resulting from the oxidation step is then adsorbed on a component possessing  $NO_2$  adsorbing  
30 ability. By introducing a reducing substance such as ammonia instantaneously into the



exhaust gas enveloping the NO<sub>x</sub> accumulated on the adsorbent component, the adsorbed NO<sub>x</sub> is reduced or decomposed, column 4, lines 32-46. Thus, it is uncertain whether the gas which is treated with ammonia in Tsuchitani contains N<sub>2</sub>O since it is the purpose of the reference to initially convert NO or N<sub>2</sub>O, etc. to NO<sub>2</sub>. The only disclosure of a zeolite used in the primary reference appears to be Example 21 where ZSM-5 is utilized. However, the primary reference does not suggest simultaneous reduction of NO<sub>x</sub> and N<sub>2</sub>O with ammonia as set forth in the claims. Accordingly, even if Fetzer were combinable with the primary reference, the combination would not teach or render obvious the claimed process. Again, as stated above, Fetzer is not concerned with the use of beta zeolite to reduce N<sub>2</sub>O in the presence of ammonia. It is the Appellants who have found that zeolite beta is particularly useful for the simultaneous reduction of NO<sub>x</sub> and N<sub>2</sub>O with ammonia.

It is respectfully requested that the Final Rejection of claims 3, 5-7, 10-14, and 18 be reversed.

Date 12/13/2007

Respectfully Submitted,  
  
Stuart D. Frenkel  
Reg. No. 29,500

Frenkel & Associates  
3975 University Drive, Suite 330  
Fairfax, VA 22030  
Phone: (703) 246-9641  
Facsimile: (703) 246-9646